CERTIFICATE OF MAILING

I hereby certify that this paper and every paper are referred to therein as being enclosed is being

I hereby certify that this paper and every referred to therein as being enclosed is being placed in First Class Mail addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450 as of today.

Katrina A. Lyon

_Date: 9(14)04

PATENT Microsoft Docket No. 301911.01 L&H No. MCS-034-03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Jojic et al.

:

Entitled: SYSTEM AND METHOD FOR:

FAST ON-LINE LEARNING OF TRANSFORMED HIDDEN MARKOV

MODELS

Serial No.: 10/649,382

Filing Date: August 27, 2003

Examiner: Unknown

Group Art Unit: 2621

INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.97(b)

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Attached hereto is Form PTO-1449 listing documents believed relevant to the subject application. It is respectfully requested that these documents be made of record and an initialed copy of each form be returned to the undersigned.

fw

This disclosure statement should not be construed as a representation that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. Furthermore, no admission is being made that these documents are prior art, and applicant reserves the right to challenge any such conclusion.

It is believed that this disclosure complies with the requirements of 37 CFR 1.56, 1.97, and 1.98, and the manual of Patent Examining Procedures, section 609 and 707.05. If for some reason the Examiner considers otherwise, it is respectfully requested that the undersigned be called so that any deficiencies can be remedied.

A copy of each document is enclosed unless indicated otherwise. Some of the documents may have markings on them. No significance is meant to be attached to the markings. These documents are not necessarily analogous art.

LYON & HARR, LLP 300 Esplanade Drive Suite 800 Oxnard, CA 93036 (805) 278-8855 Respectfully submitted

Katima A. Lyon Reg. No. 42,821

Attorney for Applicant(s)

MCS-034-03 10/849,382 NVENTOR: Jolic et al. Filing Date Name Class Subclass Filing Date Name Class Subclass Filing Date Name Class Subclass Filing Date Name Name Class Subclass Filing Date Name Name							VO.:	SERIAL NO.:		
See Several sheets if necessary Filling Date GROUP; Glass several sheets if necessary Filling Date GROUP; Glass GROUP; Group Group Group; Gro	P E INFORMATION DISCLOSURE CITATION						MCS-034-03		JUZ	
(Use several sheets if nacessary) FUNIS DATE GROUP August 27, 2003 Subclass Filing Date Name Class Subclass Filing Date (if Appropriate) Initial All 10/294/211 Jojic et al. Topic et al.										
SEP 2.3 7006 Subclass Filing Date Name Class Subclass Filing Date Number Number Name Class Subclass Filing Date (If Appropriate) Initial Number Number Number Date Name Class Subclass Filing Date Initial Number Document Date Country Class Subclass Translation Number Document Date Country Class Subclass Translation Number Number Date Country Class Subclass Translation Number Number Date Country Class Subclass Translation Number Numbe										
## SPATENT DOCUMENTS Page	Dae several choese it moodes.						1 12.110			
Post	1 SEP / 3 VM/ SI							2021		
Document Date Country Class Subclass Trenslation Ves No	U.S. PATENT DOCUMENTS									
Document Date Country Class Subclass Trenslation Ves No	*Example: F	Ref.	Document	Date	Name	Class	Subclass			
Document Date Country Class Subclass Trenslation Ves No	Initial	MAQ	Number							
Document Number Date Country Class Subclass Translation Yes No		A1	10/294,211					11/14/20		
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) A2 Bauer, E., D. Coller and Y. Singer, Undate rules for parameter estimation in Bayesian networks, Proc. of the 13th Luft, Providence, Rhode Island, Angust 1-3, 1997, pp. 3-13. A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int I. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Estinating mixture models of images and inferring spatial transformation Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estinating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CPPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, University of the IEEE Conf. on Comp. Vision and Pattern Recognition (CPPR), 2001. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CPPR), 2000. A8 Jojic, N., Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CPPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. L. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhare, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tore, P., S. Szeliski, and P. Annadan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, I. Y., and E. H. Adelson, Representing moving images with layers, IEEE	T									
OTHER DOCUMENTS (Including Author, Title, Date. Pertinent Pages, Etc.) A2 Bauer, E., D. Coller and Y. Singer, Update rules for parameter estimation in Bayesian networks, Proc. of the 13th UAI, Providence, Rhode Island, August 1-3, 1997, pp. 3-13. A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int'l. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition, June 1993, pp. 760-761. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sperse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. L. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with application tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anaudan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans.				Date	Country	Class	Subclass			
A2 Bauer, E., D. Coller and Y. Singer, Update rules for parameter estimation in Bayesian networks, Proc. of the 13 LLAI, Providence, Rhode Island, August 1-3, 1997, pp. 3-13. A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int T. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tore, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Moch. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. DATE CONSIDERED: DATE CON			Number					169	140	
A2 Bauer, E., D. Coller and Y. Singer, Update rules for parameter estimation in Bayesian networks, Proc. of the 13 LLAI, Providence, Rhode Island, August 1-3, 1997, pp. 3-13. A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int T. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tore, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Moch. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. DATE CONSIDERED: DATE CON						<u> </u>		<u></u>		
A2 Bauer, E., D. Coller and Y. Singer, Update rules for parameter estimation in Bayesian networks, Proc. of the 13 LLAI, Providence, Rhode Island, August 1-3, 1997, pp. 3-13. A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int T. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tore, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Moch. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. DATE CONSIDERED: DATE CON	OTHER DOCUMENTS (Including Author, Title, Date. Pertinent Pages, Etc.)									
A3 Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, Int I. J. on Comp. Vision, 2000. A4 Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 335-368. A10 Tao, H., R. Kumar and H. S. Sawhery, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through at rellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Syx., March 1989, vol. 25, no. 2, pp. 287-296.	4	A2	Bauer, E., D. Coller and Y. Singer, Update rules for parameter estimation in Bayesian networks, <i>Proc. of the 13</i>							
Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information Processing Systems, (NIPS 2001), 14, Cambridge, MA, MIT Press 2002. A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, June 1993, pp. 760-761. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tor, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296.		A3	Black, M. J., and D. J. Fleet, Probabilistic detection and tracking of motion discontinuities, <i>Int'l. J. on Comp.</i>							
A5 Frey, B., and N. Jojic, Estimating mixture models of images and inferring spatial transformations using the EM algorithm, Comp. Vision and Pattern Recognition (CVPR), Fort Collins, June 23-25, 1999, pp. 416-422. A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, June 1993, pp. 760-761. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Tort, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Tatern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296.	,	A4	Frey, B., and N. Jojic, Fast, large-scale transformation-invariant clustering, Advances in Neural Information							
A6 Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Corp. on Comp. Vision and Pattern Recognition, June 1993, pp. 760-761. A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation.		A5	Frey B, and N. Joile Estimating mixture models of images and inferring spatial transformations using the EM							
A7 Jojic, N., and B. Frey, Learning flexible sprites in video layers, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2001. A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296.		A6	Jepson, A., and M. J. Black, Mixture models for optical flow computation, Proc. of the IEEE Conf. on Comp.							
A8 Jojic, N., N. Petrovic, B. Frey and T. Huang, Transformed hidden Markov models: Estimating mixture models and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED:		A 77	Vision and Pattern Recognition, June 1993, pp. 700-701.							
and inferring spatial transformations in video sequences, IEEE Conf. on Comp. Vision and Pattern Recognition (CVPR), 2000. A9 Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation.			Recognition (CVPR), 2001.							
Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 353-368. A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition, 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *FXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation.		A8	and inferring spatial transformations in video sequences, <i>IEEE Conf. on Comp. Vision and Pattern Recognition</i>							
A10 Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, <i>Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition</i> , 2000. A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, <i>IEEE Trans. on Pattern Analysis and Mach. Intelligence</i> , 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, <i>IEEE Trans. on Image Processing</i> , 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, <i>IEEE Trans. on Aerospace & Elect. Sys.</i> , March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation		A9	Neal, R. M., and G. E. Hinton, A view of the EM algorithm that justifies incremental, sparse and other variants, Learning in Graphical Models, Kluwer Academic Publishers, Norwell MA, 1998, Ed. M. I. Jordan, pp. 355-368.							
A11 Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, IEEE Trans. on Pattern Analysis and Mach. Intelligence, 2001, vol. 23, no. 3, pp. 297-303. A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, IEEE Trans. on Image Processing, 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation.		A10	Tao, H., R. Kumar and H. S. Sawhney, Dynamic layer representation with applications to tracking, <i>Proc. of the IEEE Conf. on Comp. Vision and Pattern Recognition</i> , 2000.							
A12 Wang, J. Y., and E. H. Adelson, Representing moving images with layers, <i>IEEE Trans. on Image Processing</i> , 1994, vol. 3, no. 5, pp. 625-638. A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, <i>IEEE Trans. on Aerospace & Elect. Sys.</i> , March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *FXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation.		A11	Torr, P., R. Szeliski, and P. Anandan, An integrated Bayesian approach to layer extraction from image sequences, <i>IEEE Trans. on Pattern Analysis and Mach. Intelligence</i> , 2001, vol. 23, no. 3, pp. 297-303.							
A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to multitarget tracking, IEEE Trans. on Aerospace & Elect. Sys., March 1989, vol. 25, no. 2, pp. 287-296. EXAMINER: DATE CONSIDERED: *FXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation		A12	Wang, J. Y., and E. H. Adelson, Representing moving images with layers, <i>IEEE Trans. on Image Processing</i> , 1994, vol. 3, no. 5, pp. 625-638.							
EXAMINER: DATE CONSIDERED: *EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation		A13 Wolf, J. K., A. M. Viterbi and G. S. Dixon, Finding the best set of K paths through a trellis with application to								
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation										
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation							Attornes on the			
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation										
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation										
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation										
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation										
*EXAMINER: Initial if any reference considered, whether or not the citation is in conformance with MPEP 609; Draw line through citation	EXAMINER	1:			DATE CONSIDERED:					
E IL DOLLO CONDUCIONOS ROLLO DOLLO DESCRIPERO EL DICADOS CODOS DEL DESCRIPTO DE AL CONTROLLO DE ARROGERO.	*EXAMINER:	: Initial	I if any reference con	sidered, who	ether or not the citation is in conformance	e with MPEI	P 609; Draw nt.	line throug	h citation	